


INVITATION OF TENDER

The Member Secretary, District Nirmithi Kendra, Thiruvananthapuram invites tender from the competent firms/experienced contractors in prescribed form for Renovation of damaged road at Balaramapuram Railway cross Shivankovil Road.

Sl No	PARTICULARS	QTY	UNIT
1	Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately Bituminous course - By Mechanical Means	29.500	cum
2	Removal of all failed material, trimming of completed excavation to provide firm vertical faces, cleaning of surface, painting of tack coat on the sides and base of excavation as per clause 503, back filling the pot holes with hot bituminous material as per clause 511, compacting, trimming and finishing the surface to form a smooth continuous surface, all as per clause 3004.2 Filling Pot-holes and Patch Repairs with open-Graded Premix surfacing, 20mm	667	sqm
3	Filling Pot-holes and Patch Repairs with Bituminous concrete, 40mm. Removal of all failed material, trimming of completed excavation to provide firm vertical faces, cleaning of surface, painting of tack coat on the sides and base of excavation as per clause 503, back filling the pot holes with hot bituminous material as per clause 504, compacting, trimming and finishing the surface to form a smooth continuous surface, all as per clause 3004.2 - For grading I Material	667	sqm
4	Providing and laying bituminous concrete with 80-100 TPH hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder (NRMB) @ 5.4 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 507 complete in all respects Grading - II (13.2 mm Nominal Size)	41.301	cum
5	Construction of granular sub-base by providing graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller to achieve the desired density, complete as per clause	52.5	cum



401.	Grading-III -For lower sub base - Mix in Place Method		
------	---	--	--

2) Bid Price

- a) The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- b) The rate should be all inclusive of taxes, levies, transports etc.
- c) Usual deduction of taxes will be made from the gross amount of bill.
- d) The rate tendered by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- e) The price should be tendered in Indian rupees only.

3) Each bidder shall submit only one tender.

4) Validity of tender

Tender shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of tender

The purchaser will evaluate and compare the tender determined to be substantially responsive i.e., which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.

6) Award of Contract

a) The tenderer will award the contract to the bidder whose tender has been determined to be substantially responsive and who has offered the lowest evaluated tender price

- b) Notwithstanding above, the tenderer reserves the right to accept or reject any tender and to cancel the bidding process and reject all tenderer at anytime prior to the award of the contract
- c) The bidder whose bid is accepted will be notified of the award of the contract by the tenderer prior to expiration of the tender validity period. The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical, quality and

receipt of invoice in this office according to the availability of funds. Individual or Authorized dealers/agents are only eligible.

8) Tenderer are requested to provide offer latest by 12 hours on **18.06.2021** and the tender will be opened at **18.06.2021**.

9) Cost of Tender form: Nil

10) Earnest Money Deposit: Nil

We look forward to receiving your tender and thank for your interest in this work.


Project Manager

TENDER NO.1086(1)/20/DNK

DISTRICT NIRMITHI KENDRA, THIRUVANANTHAPURAM

TENDER SCHEDULE

Sl.NO	PARTICULARS	QTY	UNIT	RATE	AMOUNT
1	Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately Bituminous course - By Mechanical Means	29.500	cum		
2	Removal of all failed material, trimming of completed excavation to provide firm vertical faces, cleaning of surface, painting of tack coat on the sides and base of excavation as per clause 503, back filling the pot holes with hot bituminous material as per clause 511, compacting, trimming and finishing the surface to form a smooth continuous surface, all as per clause 3004.2 Filling Pot-holes and Patch Repairs with open-Graded Premix surfacing, 20mm	667	sqm		
3	Filling Pot-holes and Patch Repairs with Bituminous concrete, 40mm. Removal of all failed material,	667	sqm		

	trimming of completed excavation to provide firm vertical faces, cleaning of surface, painting of tack coat on the sides and base of excavation as per clause 503, back filling the pot holes with hot bituminous material as per clause 504, compacting, trimming and finishing the surface to form a smooth continuous surface, all as per clause 3004.2 - For grading I Material				
4	Providing and laying bituminous concrete with 80-100 TPH hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder(NRMB) @ 5.4 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 507 complete in all respectsGrading - II (13.2 mm Nominal Size)	41.301	cum		
5	Construction of granular sub-base by providing graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with vibratory roller to achieve the desired density, complete as per clause 401. Grading-III -For lower sub base - Mix in Place Method	52.5	cum		
	TOTAL				

Gross Total Cost:- Rs.....
(In words) We agree to supply the above goods in accordance
 with the technical Specification for a total price of
 Rs.....(amount
 in figure)(amount in
 words) with in the period specified in the invitation for tender.

Signature of tenderer