

No: 1775/2021/NK/TVPM

Office of the Nirmithi Kendra,
B Block, 4th Floor, Civil Station,
Kudappanakunnu, Thiruvananthapuram 43.
Pmnirmithi01@gmail.com, 0471-2732929
11.06.2021

TENDER NOTICE

The Project Manager, District Nirmithi Kendra, Thiruvananthapuram invites sealed tender from the competent firms/experienced contractors in prescribed form for **SETTING UP OF COVID 19 WARD AT WARD 10, GENERAL HOSPITAL, TVPM.**

SI No	PARTICULARS	QTY	UNIT
1	Earth work in excavation by mechanical means (Hydraulic excavator) /manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil	0.54	Cum
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 nominal size)	3.15	Cum
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.	3	Cum
4	Brick work with common burnt clay selected F.P.S (non modular) bricks of class designation 7.5 in exposed brick work including making horizontal and vertical grooves 10 mm wide 12 mm deep complete in cement mortar 1:6 (1 cement : 6 coarse sand) Above plinth level and upto floor V level	0.95	Cum
5	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	2.7	Sqm
6	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS : 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing /paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)	210	Kg

7	For shutters of doors, windows & ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber/ neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)	20	Kg
8	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer - in- Charge. Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	3.5	Sqm
9	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer - in -Charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness	3.5	Sqm
10	Providing and fixing 100 mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. Complete	2	no
11	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-Charge. Powder coated minimum thickness 50 micron aluminium	4	no
12	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete: 100x10 mm	2	no
13	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	2	no
14	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	2	no
15	Stainless steel Elbow Action Bib Cock	4	no

2) Bid Price

- The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- The rate should be all inclusive of taxes, levies, transports etc.
- Usual deduction of taxes will be made from the gross amount of bill.
- The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.

- e) The price should be quoted in Indian rupees only.
- 3) Each bidder shall submit only one tender.
- 4) Validity of quotation
- Tender shall remain valid for a period not less than 45 days after the dead line date specified for submission
- 5) Evaluation of quotation
- The purchaser will evaluate and compare the tenders determined to be substantially responsive i.e., which
- a) Are properly signed
 - b) Confirm to the terms and conditions and specification.
- 6) Award of Contract
- a) The purchaser will award the contract to the bidder whose tender has been determined to be substantially responsive and who has offered the lowest evaluated quotation price
 - b) Not with standing above, the purchaser reserves the right to accept or reject any tenders and to cancel the bidding process and reject all quotations at any time prior to the award of the contract
 - c) The bidder whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the tender validity period. The terms of the accepted offer shall be incorporated in the purchase order.
- 7) The amount will be released after verification of the material in physical, quality and receipt of invoice in this office according to the availability of funds. Individual or Authorized dealers/agents are only eligible.
- 8) You are requested to provide your offer latest by 12 hours on **15.06.2021** and the Tender will be opened at **15.06.2021**.

Total EMD cost = 0 , Total Tender cost = 0

We look forward to receiving your tenders and thank for your interest in this work.



Project Manager

TENDER NO.1775/21/DNK

DISTRICT NIRMITHI KENDRA, THIRUVANANTHAPURAM

SCHEDULE-O1

Sl.NO	PARTICULARS	QTY	UNIT	RATE	AMOUNT
1	Earth work in excavation by mechanical means (Hydraulic excavator) /manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All kinds of soil	0.54	Cum		
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 nominal size)	3.15	Cum		
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.	3	Cum		
4	Brick work with common burnt clay selected F.P.S (non modular) bricks of class designation 7.5 in exposed brick work including making horizontal and vertical grooves 10 mm wide 12 mm deep complete in cement mortar 1:6 (1 cement : 6 coarse sand)Above plinth level and upto floor V level	0.95	Cum		
5	12 mm cement plaster of mix:1:4 (1 cement : 4 coarse sand)	2.7	Sqm		
6	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS : 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up thegaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc.Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminnium snap	210	Kg		

	beading for glazing /paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge.(Glazing, paneling and dash fasteners to be paid for separately):For fixed portionPowder coated aluminium (minimum thickness of powder coating 50 micron)				
7	For shutters of doors, windows & ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber/ neoprene gasket required (Fittings shall be paid for separately)Powder coated aluminium (minimum thickness of powder coating 50 micron)	20	Kg		
8	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer - in-Charge.Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	3.5	Sqm		
9	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer - in -Charge. (Cost of aluminium snap beading shall be paid in basic item):With float glass panes of 5.50 mm thickness	3.5	Sqm		
10	Providing and fixing 100 mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. Complete	2	no		
11	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-Charge.Powder coated minimum thickness 50 micron aluminium	4	no		
12	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screwsetc. complete:100x10 mm	2	no		
13	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	2	no		
14	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	2	no		

15	Stainless steel Elbow Action Bib Cock	4	no		
	TOTAL				

Gross Total Cost:- Rs.....
.....(In words) We agree to supply the above goods in accordance with
the technical Specification for a total price of
Rs.....(amount
in figure)(amount in
words) with in the period specified in the invitation for quotation.

Signature of Quotationer