

No: 1360-2/2021/NK/TVPM

Office of the Nirmithi Kendra,  
B Block, 4th Floor, Civil Station,  
Kudappanakunnu, Thiruvananthapuram43.  
Pmnirmithi01@gmail.com,0471-2732929  
26.07.2021

**Quotation Notice for Roof Sheet Laying and Entrance Gate Work - Q2**

District Nirmithi Kendra invites Competitive quotations from authorized Suppliers/Individual in the form attached herewith for Roof Sheet Laying and entrance gate work in District Nirmithi Kendra's Project site at Upgradation of Subcentre at Kunnathumala.

| Sl no | Item  | Unit | Qty    |
|-------|---|------|--------|
| 1     | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.   | Kg   | 246.56 |
| 2     | Providing Trafford Aluminium sheet roofing including vertical/ curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete ( up to any pitch in horizontal / vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 1.00 mm thick with zinc coating not less than 275 gm/m2 | Sqm  | 45.12  |
| 3     | Steel work for purlin/single section with G I pipes including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc.complete GI Pipe 4"  | Kg   | 127.4  |
| 4     | Providing and fixing M.S. Grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.Fixed to openings/ wooden frames with rawl plugs screws etc  | Kg   | 238.5  |
| 5     | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates (sliding) and similar works. Hot finished welded type tubes with outer body 2.5"x1.5" 16gauge tube section and inner section 2"x1.5" 16 gauge (Gate size-2.5x1.5)   | Kg   | 67.5   |



2) Bid Price

The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date

- a) The rate should be all inclusive of taxes, levies, transports etc.
  - b) Usual deduction of taxes will be made from the gross amount of bill.
  - c) The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
  - d) The price should be quoted in Indian rupees only.
- 3) Each bidder shall submit only one quotation.

4) Validity of quotation

Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation

The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e., which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.

6) Award of Contract

- a) The purchaser will award the contract to the bidder whose quotations has been determined to be substantially responsive and who has offered the lowest evaluated quotation price
- b. Notwithstanding above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at anytime prior to the award of the contract
- c) The bidder whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical, quality and receipt of invoice in this office according to the availability of funds. Individual or Authorized dealers/agents are only eligible.

8) You are requested to provide your offer latest by 12 hours on **02.08.2021** and the Quotation will be opened at **02.08.2021**.

We look forward to receiving your quotations and thank for your interest in this work.



  
Project Manager

### Format of Quotation

| Sl no | Item  | Unit | Qty        | Rate | Amount |
|-------|---|------|------------|------|--------|
| 1     | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.   | Kg   | 246.5<br>6 |      |        |
| 2     | Providing Trafford Aluminium sheet roofing including vertical/ curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete ( up to any pitch in horizontal / vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 1.00 mm thick with zinc coating not less than 275 gm/m2 | Sqm  | 45.12      |      |        |
| 3     | Steel work for purlin/single section with G I pipes including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc.complete GI Pipe 4"  | Kg   | 127.4      |      |        |
| 4     | Providing and fixing M.S. Grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.Fixed to openings/ wooden frames with rawl plugs screws etc  | Kg   | 238.5      |      |        |
| 5     | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates (sliding) and similar works. Hot finished welded type tubes with outer body 2.5"x1.5" 16gauge tube section and inner section 2"x1.5" 16 gauge (Gate size-2.5x1.5)   | Kg   | 67.5       |      |        |

Gross Total Cost: - Rs.....

(In words) We agree to supply the above goods in accordance with the technical Specification for a total price of Rs.....(amount in figure).....(amount in words) with in the period specified in the invitation for quotation.

**Signature of Supplier**