

No: 1136/E1/2020/NK/TVPM

Office of the Nirmithi Kendra,
B Block, 4th Floor, Civil Station,
Kudappanakunnu, Thiruvananthapuram 43.
Pmnirmithi01@gmail.com, 0471-2732929
26/02/2022

Quotation Notice for Electrical

District Nirmithi Kendra invites Competitive quotation from authorized Firms/Experienced Individual in the form attached herewith for the work of **Electrical work at Parandakuzhy colony site .**

| Sl. No. | PARTICULARS | QTY | UNIT |
|---------|---|-----|-------|
| 1 | Single Control light point with 6A, 3 Plate ceiling rose | 17 | point |
| 2 | Single control ceiling fan point with 6A, 3 Plate ceiling rose & with socket size Electronic regulator | 4 | point |
| 3 | Combined plug point with 6A, 5 pin plug socket controlled by 6A switch in the same switch board as that of light points . | 5 | point |
| 4 | 1×18w LED tube light | 7 | N |



| | | | |
|---|---|----|---|
| 5 | Supply , conveyance installation testing and commission of ceiling fans of the following sizes using standing accessories excluding regulator , writing the down rod with 16/0.20mm PVC INSULATED AND pvc Sheathed 650/ 100V grade 3 core round copper conductor flex wire or with extended original wiring etc as required | | |
| a | 1200 mm sweep ceiling fan | 4 | N |
| 6 | 305 mm single phase 1400 Exhaust Fan | 1 | N |
| 7 | Supply and fixing the following sizes of PVC Conduct conforming to IS 9537/1983 PART 111 along with all required accessories on surface including making good the damage etc as required | | |
| a | 20mm dia medium gauge PVC-pipe | 30 | m |
| b | 25mm dia medium gauge PVC-pipe | 15 | m |
| c | 20mm 1Way Junction Box | 20 | N |
| d | 20mm 2Way Junction Box | 20 | N |

| | | | |
|---|--|----|---|
| e | 20mm 3Way Junction Box | 20 | N |
| f | 20mm 4Way Junction Box | 20 | N |
| g | 25mm 4Way Junction Box | 20 | N |
| 8 | supply and drawing 650/ 1100v grade PVC insulated standard single core copper conductor cables conforming to IS 964 part 1 1990 in the existing surface / recess conduct as required including giving necessary Connections of the following | | |
| a | 1.50 sq mm 3 run | 60 | m |
| b | 1.50 sq mm 5run | 30 | m |
| c | 2× 2.5 sq mm + 1×2.5 Earth Wire | 90 | m |
| d | 2× 4 sq mm + 1×4 sqmm Earth Wire | 15 | m |
| 9 | Supply & fixing the following types / size of boxes suitable for modular accessories in surface / recess including making good the damages colour washing etc as required (ROHS) | | |
| a | 3 module metal box | 4 | N |
| b | 8 module metal box | 4 | N |

| | | | |
|----|---|----|---|
| 10 | Supply & fixing the following types / size of front plates on the existing modular boxes (ROHS) | | |
| a | 3 module white / Off- white | 4 | N |
| b | 6module white / off- white | 4 | N |
| c | 6A SO 1 Way switch | 15 | N |
| d | 6A SO 1 shuttered socket | 15 | N |
| e | 16A SP 1 Way switch | 4 | N |
| f | 16A shattered socket | 4 | N |
| 11 | Supply and fixing the following modular switches & accessories in the existing front plates and giving necessary connections as required (Group B) | | |
| a | DP enclosure for independent mounting of MCB | 1 | N |
| b | 12way SPN-DB | 1 | N |
| c | 40 A double pole mini break isolator | 2 | N |
| d | 40A , 2pole , 30A RCCB | 1 | N |
| e | 6-32A SP MCB (C curve) | 12 | N |

| | | | |
|----|--|----|---|
| 12 | Supply and providing the following sizes as single phase Earthling | 1 | N |
| 13 | Single phase meter box | 1 | N |
| 14 | 8 SW G copper | 7 | N |
| 15 | 10SW G copper | 40 | N |
| 16 | LED top Lamp set | 1 | N |
| 17 | Buike head | 3 | N |

2) Bid Price


- The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- The rate should be all inclusive of taxes, levies, transports etc. Usual deduction of taxes will be made from the gross amount of bill.
- The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- The price should be quoted in Indian rupees only.

3) Each bidder shall submit only one quotation.

4) Validity of quotation

.Tender shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation



The purchaser will evaluate and compare the tenders determined to be substantially responsive ie which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.

6) Award of Contract

- a) The purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated tender price
- b) Notwithstanding above, the purchaser reserves the right to accept or reject any tenders and to cancel the bidding process and reject all quotation at anytime prior to the award of the contract
- c) The bidder whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical ,quality and receipt of invoice in this office according to the availability of funds. Individual or authorized dealers/agents are only eligible.

8) You are requested to provide your offer latest by 12 hours on **07.02.2022** and the quotations will be open at **07.02.2022 at 3pm**

We look forward to receiving your quotation and thank for your interest in this work.




Project Manager

Foramat of Tender

| Sl No | Description | Quantity | Unit | Rate | AMOUNT | |
|-------|---|----------|-------|------|-------------------|----------------|
| | | | | | Amount in figures | Amount i words |
| 1 | Single Control light point with 6A, 3 Plate ceiling rose | 17 | point | | | |
| 2 | Single control ceiling fan point with 6A, 3 Plate ceiling rose& with socket size Electronic regulator | 4 | point | | | |
| 3 | Combined plug point with 6A, 5 pin plug socket controlled by 6A switch in the same switch board as that of light points . | 5 | point | | | |
| 4 | 1×18w LED tube light | 7 | N | | | |
| 5 | Supply , conveyance installation testing and commission of ceiling fans of the following sizes using standing accessories excluding regulator , writing the down rod with 16/0.20mm PVC INSULATED AND pvc Sheathed 650/ 100V grade 3 core round copper conductor flex wire or with extended original wiring etc as required | | | | | |



| | | | | | | |
|---|--|----|---|--|--|--|
| a | 1200 mm sweep | 4 | N | | | |
| 6 | 305 mm single phase 1400 Exhaust Fan | 1 | N | | | |
| 7 | Supply and fixing the following sizes of PVC Conduct conforming to IS 9537/1983 PART 111 along with all required accessories on surface including making good the damage etc as required | | | | | |
| a | 20mm dia medium gauge PVC-pipe | 30 | m | | | |
| b | 25mm dia medium gauge PVC-pipe | 15 | m | | | |
| c | 20mm 1Way Junction Box | 20 | N | | | |

| | | | | | | |
|---|---|----|---|--|--|--|
| d | 20mm 2Way Junction Box | 20 | N | | | |
| e | 20mm 3Way Junction Box | 20 | N | | | |
| f | 20mm 4Way Junction Box | 20 | N | | | |
| g | 25mm 4Way Junction Box | 20 | N | | | |
| 8 | supply and drawing 650/ 1100v grade PVC insulated standard single core copper conductor cables conforming to IS 964 part 1 1990 in the existing surface / recess conduct as required including giving necessary Connections of the following | | | | | |
| a | 1.50 sq mm 3 run | 60 | m | | | |

| | | | | | | |
|----|--|----|---|--|--|--|
| b | 1.50 sq mm 5run | 30 | m | | | |
| c | 2× 2.5 sq mm + 1×2.5 Earth Wire | 90 | m | | | |
| d | 2× 4 sq mm + 1×4 sqmm Earth Wire | 15 | m | | | |
| 9 | Supply & fixing the following types / size of boxes suitable for modular accessories in surface / recess including making good the damages colour washing etc as required (ROHS) | | | | | |
| a | 3 module metal box | 4 | N | | | |
| b | 8 module metal box | 4 | N | | | |
| 10 | Supply & fixing the following types / size of front plates on the existing modular boxes (ROHS) | | | | | |

| | | | | | | |
|----|---|----|---|--|--|--|
| a | 3 module white / Off- white | 4 | N | | | |
| b | 6module white / off- white | 4 | N | | | |
| C | 6A SO 1 Way switch | 15 | N | | | |
| d | 6A SO 1 shuttered socket | 15 | N | | | |
| e | 16A SP 1 Way switch | 4 | N | | | |
| f | 16A shattered socket | 4 | N | | | |
| 11 | Supply and fixing the following modular switches & accessories in the existing front plates and giving necessary connections as required (Group B) | | | | | |

| | | | | | | |
|----|--|----|---|--|--|--|
| a | DP enclosure for independent mounting of MCB | 1 | N | | | |
| b | 12way SPN-DB | 1 | N | | | |
| C | 40 A double pole mini break isolator | 2 | N | | | |
| d | 40A , 2pole , 30A RCCB | 1 | N | | | |
| e | 6-32A SP MCB (C curve) | 12 | N | | | |
| 12 | Supply and providing the following sizes as single phase Earthling | 1 | N | | | |
| 13 | Single phase meter box | 1 | N | | | |

| | | | | | | |
|----|------------------|----|---|--|--|--|
| 14 | 8 SW G copper | 7 | N | | | |
| 15 | 10SW G copper | 40 | N | | | |
| 16 | LED top Lamp set | 1 | N | | | |
| 17 | Buik head | 3 | N | | | |

Gross Total Cost: - Rs.....

(In words) We agree to supply the above goods in accordance with the technical Specification for a total price of Rs.....(amount in figure).....(amount in words) with in the period specified in the invitation for tender.



Signature of Supplier