

**No: 1052/2020/NK/TVPM**Office of the Nirmithi Kendra,

B Block, 4th Floor, Civil Station,  
Kudappanakunnu, Thiruvananthapuram 43.

Pmnirmithi01@gmail.com, 0471-2732929

12.05.2022

**CONSTRUCTION OF BUS WAITING SHELTER AT VENKULAM**

District Nirmithi Kendra invites Competitive quotation from authorized Suppliers/Individual in the form attached herewith for **CONSTRUCTION OF BUS WAITING SHELTER AT VENKULAM.**

S.No.	PARTICULARS	QTY	UNIT
1	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in all colours, shades, except white, Ivory, Grey Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand) including pointing the joints with white cement and matching pigments etc., complete.	28.8	Sqm
2	Wall Cladding tile for wall lining upto 10 m height, backing filled with a grout of 12 mm thick cement mortar 1:3 (1 Cement : 3 coarse sand) and jointed with Cement mortar 1:2 (1 cement : 2 stone dust), including rubbing and polishing complete. (To be secured to the backing and the sides by means of cramps and pins which shall be paid for separately).	26	Sqm
3	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigment etc., complete. Anti Skid	8.85	Sqm

**2) Bid Price**

- Quotationer shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- The rate should be all inclusive of taxes, levies, transports etc. Usual deduction of taxes will be made from the gross amount of bill.
- The rate quoted by the bidder shall be fixed for the duration of the quotation and shall not be subject to adjustment on any account.
- The price should be quoted in Indian rupees only.

3) Each bidder shall submit only one tender.

4) Validity of quotation

. Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation

The quotationer will evaluate and compare the quotation determined to be substantially responsive ie which

a) Are properly signed

b) Confirm to the terms and conditions and specification.

6) Award of Quotation

a) The work will award to the quotationer whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price

b) The quotationer whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical, quality and receipt of invoice in this office according to the availability of funds. Individual or authorized dealers/agents are only eligible.

8) Quotationer are requested to provide your offer latest by 12 hours on **17.05.2022** and the quotation will be opened at **17.05.2022**.

We look forward to receiving your quotation and thank for your interest in this work.

Copy to : notice board & Website

  
**Project Manager**

### **Format of Quotation**

<b>Sl No</b>	<b>Description</b>	<b>Quantity</b>	<b>Unit</b>	<b>Rate</b>	<b>Amount</b>
1	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer) of Ist quality conforming to IS: 15622 of approved make in all colours, shades, except white, Ivory, Grey Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand) including pointing the joints with white cement and matching pigments etc., complete.	28.8	Sqm		
2	Wall Cladding tile for wall lining upto 10 m height, backing filled with a grout of 12 mm thick cement mortar 1:3 (1 Cement : 3 coarse sand) and jointed with Cement mortar 1:2 (1 cement : 2 stone dust), including rubbing and polishing complete. (To be secured to the backing and the sides by means of cramps and pins which shall be paid for separately).	26	Sqm		
3	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigment etc., complete. Anti Skid	8.85	Sqm		

Gross Total Cost: - Rs.....

(In words) We agree to supply the above goods in accordance with the technical Specification for a total price of Rs.....(amount in figure).....(amount in words) with in the period specified in the invitation for tender.

**Signature of Quotationer**