

No: 1457/2018/NK/TVPM

Office of the Nirmithi Kendra,  
B Block, 4th Floor, Civil Station,  
Kudappanakunnu, Thiruvananthapuram43.  
Pmnirmithi01@gmail.com,0471-2732929  
23/12/2020

**Quotation notice for ACP work**

District Nirmithi Kendra invites Competitive quotations from authorized Suppliers/<sup>experienced</sup>Individual in the form attached herewith for ACP work District nirmithi kendra's Project site at Vengode Colony, Thonnakkal, Thiruvananthapuram.

S.No.	PARTICULARS	QTY	UNIT
1	Aluminium composite panel cladding in pan shape in metallic colour of approved shades made out of 4mm thick aluminium composite panel material consisting of 3mm thick FR grade mineral core sandwiched between two aluminium sheets (each 0.5mm thick).The aluminium composite panel cladding sheet shall be coil coated with kynar 500 based PVDF/lumiflon based fluoro polymer resin coating of approved colour and shade on face#1 polymer (service) coating on face#2 as specified using stainless steel screws, nuts, bolts,washers,cleets,weather silicon sealent, backer rods,etc.The fastening brackets of aluminium alloy 6005 T5/MS with Hot Dip Galvanized with serrations and serrated washers to arrest the wind load movement, fasteners, SS316 pins and anchor bolts of approved make in SS316, Nylon seperators to prevent the bi-metalic contact all complete required to perform as per specification and drawing	1200	sqft

2) Bid Price

- The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- The rate should be all inclusive of taxes, levies, transports, Unloading etc.
- Usual deduction of taxes will be made from the gross amount of bill.
- The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- The price should be quoted in Indian rupees only

3) Each bidder shall submit only one quotation.

4) Validity of quotation

Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation

The purchaser will evaluate and compare the quotations determined to be substantially responsive ie which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.

6) Award of Contract

- a) The purchaser will award the contract to the bidder whose quotations has been determined to be substantially responsive and who has offered the lowest evaluated quotation price
- b) Notwithstanding above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of the contract
- c) The bidder whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the quotation validity period.  
The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical ,quality and receipt of invoice in this office according to the availability of funds. Individual or authorized dealers/agents are only eligible.

8) You are requested to provide your offer latest by 12 hours on **31.12.2020** and the quotation will be opened at **31.12.2020**.

We look forward to receiving your quotations and thank for your interest in this work.



  
Project Manager

**Format of Quotation**

SI No	Description	Quantity	Unit	Rate	AMOUNT	
					Amount in figures	Amount in words
1	Aluminium composite panel cladding in pan shape in metallic colour of approved shades made out of 4mm thick aluminium composite panel material consisting of 3mm thick FR grade mineral core sandwiched between two aluminium sheets (each 0.5mm thick). The aluminium composite panel cladding sheet shall be coil coated with kynar 500 based PVDF/lumiflon based fluoro polymer resin coating of approved colour and shade on face#1 polymer (service) coating on face#2 as specified using stainless steel screws, nuts, bolts, washers, cleets, weather silicon sealent, backer rods, etc. The fastening brackets of aluminium alloy 6005 T5/MS with Hot Dip Galvanized with serrations and serrated washers to arrest the wind load movement, fasteners, SS316 pins and anchor bolts of approved make in SS316, Nylon seperators to prevent the bi-metallic contact all complete required to perform as per specification and drawing.	1200	sqft			

Gross Total Cost: - Rs .....

(In words) We agree to supply the above goods in accordance with the technical Specification for a total price of Rs.....(amount in figure) .....(amount in words) with in the period specified in the invitation for quotation



**Signature of Supplier**