

No: 1642/E1/2021/NK/TVPM


Office of the Nirmithi Kendra,
B Block, 4th Floor, Civil Station,
Kudappanakunnu, Thiruvananthapuram 43.
Pmnirmithi01@gmail.com, 0471-2732929

19/03/2021


Quotation notice for the work of Interior works of Video Conference Hall
Survey Directorate Vazhuthacaud, Tvp

District Nirmithi Kendra invites Competitive quotations from authorized Suppliers/Individual in the form attached herewith for the work of **Interior works of Video Conference Hall Survey Directorate Vazhuthacaud, Tvp**

S.No.	PARTICULARS	QTY	UNIT
1	Finishing walls with textured exterior pint of required shade: New work (Two or more coats applied @ 3.28 ltr/ 10 sqm) over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm	52.82	Sqm
2	Providing and fixing partition upto ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/ roll form G.I. sheet with Zincoating of 120 gms/ (both side inclusive), consisting of floor and ceiling channel 50 mm wide having equal flanges of 32 mm and 0.50 mm thick, fixed to the floor and ceiling at the spacing of 610 mm centre to centre with dash fastener of 12.5 mm dia meter 50 mm length or suitable anchor fastener or metal screws with nylon plugs and the studs 48 mm wide having one flange of 34 mm and other flange 36 mm and 0.50 mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610 mm centre to centre by 6 mm dia bolts and nuts, including fixing of studs along both ends of partition fixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450 mm centre to centre, and fixing of boards to both side of frame work by 25 mm long dry wall screws on studs, floor and ceiling channels at the spacing of 300 mm centre to centre. The boards are to be fixed to the frame work with joints staggered to avoid through cracks, M.S. fixing channel of 99 mm width (0.9 mm thick having two flanges of 9.5 mm each) to be provided at the horizontal joints of two boards, fixed to the studs using metal to metal flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25 mm x 25 mm x 0.5 mm), joint	21.94	Sqm



	finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete.75 mm overall thickness partition with 12.5 mm thick double skin tapered		
3	Providing and fixing Vertical blinds 100mm wide with washable fabric, indian track type	3.60	Sqm
4	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface:Water thinnable cement primer	32	Sqm
5	plain coir mat with anti slip backing	21.938	Sqm
6	S SITC 1.5 TON SPLIT AC-Supply, installation, testing and commissioning of 1.5 T R, 3 star rated (as perBEE) Air Cooled High Wall mounted Inverter type Split Air Conditioner 	1	Nos
7	Supply and fixing of recess type -DN296B LED 12W 1200 lumen 6500 PSU WH lumen (Detachable type driver with round light) ROHS co (Philips or equivalent)mpiled fixed in fall ceiling including cutting holes if required	6	Nos
8	SITC 0.8 TON SPLIT AC-Supply, installation, testing and commissioning of 0.8 T R, 3 star rated (as per BEE) Air Cooled High Wall mounted Inverter type Split Air Conditioner	1	Nos
9	supply of necessary copper refrigerant piping duly insulated with 6 mm thick nitrile rubber tubing insulation with necessary fittings of following sizes	6	Nos
10	supply of out door unit stand	2	Nos
11	supply of 4 Kva Stabilizer	2	
12	Electrical fittings		
a	Supply & installation of light fittings on TW round block Supply, conveyance installation testing and commissioning the light fittings of following types made of CRCA with 0.5mm thickness complete with all accessories and lamps etc. directly on wall or ceiling with PVC round block neatly painted to suit thefitting and giving connection with required length of 16/0.20mm 3 core copper conductor flex wire conforming to relevant ISS and giving connections as required.1200 mm 1X20W LED Lamp with box type fixture	6	Nos



2) Bid Price

- a) The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.
- b) The rate should be all inclusive of taxes, levies, transports etc. Usual deduction of taxes will be made from the gross amount of bill.
- c) The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) The price should be quoted in Indian rupees only.

3) Each bidder shall submit only one quotation.

4) Validity of quotation

Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission

5) Evaluation of quotation


The purchaser will evaluate and compare the quotations determined to be substantially responsive ie which

- a) Are properly signed
- b) Confirm to the terms and conditions and specification.

6) Award of Contract

- a) The purchaser will award the contract to the bidder whose quotations has been determined to be substantially responsive and who has offered the lowest evaluated quotation price
- b) Notwithstanding above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of the contract
- c) The bidder whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

7) The amount will be released after verification of the material in physical ,quality and receipt of invoice in this office according to the availability of funds. Individual or



authorized dealers/agents are only eligible.

- 8) You are requested to provide your offer latest by 12 hours on **26.03.2021** and the quotation will be opened at **26.03.2021**


We look forward to receiving your quotations and thank for your interest in this work.





Project Manager

Foramat of Quotation

Sl No	Description	Quantity	Unit	Rate	AMOUNT	
					Amount in figures	Amount in words
1	Finishing walls with textured exterior pint of required shade:New work (Two or more coats applied @ 3.28 ltr/ 10 sqm) over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm	52.82	Sqm			
2	Providing and fixing partition upto ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/ roll form G.I. sheet with Zinccoating of 120 gms/ (both side inclusive), consisting of floor and ceiling channel 50 mm wide having equalflanges of 32 mm and 0.50 mm thick, fixed to the floor and ceiling at the spacing of 610 mm centre to centre with dash fastener of 12.5 mm dia meter 50 mm length or suitable anchor fastener or metal screwswith nylon plugs and the studs 48 mm wide having one flange of 34 mm and other flange 36 mm and0.50 mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610mm centre to centre by 6 mm dia bolts and nuts, including fixing of studs along both ends of partitionfixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450 mmcentre to centre, and fixing of boards to both side of frame work by 25 mm long dry wall screws on studs,floor and ceiling channels at the spacing of 300 mm centre to centre. The boards are to be fixed to theframe work with joints staggered to avoid through cracks, M.S. fixing channel of 99 mm width (0.9 mmthick having two flanges of 9.5 mm each) to be provided at the horizontal joints of two boards, fixed to thestuds using metal to metal	21.94	Sqm			




	flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25 mm x 25 mm x 0.5 mm), joint finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete. 75 mm overall thickness partition with 12.5 mm thick double skin tapered					
3	Providing and fixing Vertical blinds 100mm wide with washable fabric, indian track type	3.60	Sqm			
4	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface: Water thinnable cement primer	32	Sqm			
5	plain coir mat with anti slip backing	21.938	Sqm			
6	S SITC 1.5 TON SPLIT AC-Supply, installation, testing and commissioning of 1.5 T R, 3 star rated (as per BEE) Air Cooled High Wall mounted Inverter type Split Air Conditioner	1	Nos			
7	Supply and fixing of recess type -DN296B LED 12W 1200 lumen 6500 PSU WH lumen (Detachable type) driver with round light) ROHS co (Philips or equivalent) mpiled fixed in fall ceiling including cutting holes if required	6	Nos			
8	SITC 0.8 TON SPLIT AC-Supply, installation, testing and commissioning of 0.8 T R, 3 star rated (as per BEE) Air Cooled High Wall mounted Inverter type Split Air Conditioner	1	Nos			
9	supply of necessary copper refrigerant piping duly insulated with 6 mm thick nitrile rubber tubing insulation with necessary fittings of following sizes	6	Nos			
10	supply of out door unit stand	2	Nos			
11	supply of 4 Kva Stabilizer	2	Nos			
	Electrical fittings					



a	Supply & installation of light fittings on TW round block Supply, conveyance installation testing and commissioning the light fittings of following types made of CRCA with 0.5mm thickness complete with all accessories and lamps etc. directly on wall or ceiling with PVC round block neatly painted to suit the fitting and giving connection with required length of 16/0.20mm 3 core copper conductor flex wire conforming to relevant ISS and giving connections as required. 1200 mm 1X20W LED Lamp with box type fixture	6	Nos			
---	---	---	-----	--	--	--

Gross Total Cost: - Rs.....

(In words) We agree to supply the above goods in accordance with the technical Specification for a total price of Rs.....(amount in figure).....(amount in words) with in the period specified in the invitation for quotation.



Signature of Supplier