

No: 1232-04/2020/NK/TVPM

Office of the Nirmithi Kendra,
B Block, 4th Floor, Civil Station,
Kudappanakunnu, Thiruvananthapuram 43.
Pmnirmithi01@gmail.com, 0471-2732929
08/04/2021

Quotation notice for the Upgradation of UPHC at thrikkannapuram

District Nirmithi Kendra invites Competitive quotations from authorized Suppliers/Individual in the form attached herewith for **Upgradation of UPHC** District nirmithi kendra's Project site at **thrikkannapuram**.

S.No.	PARTICULARS	QTY	UNIT
1	Clearing the site all around, cutting trees, cleaning the building, etc complete	1	nos
2	Demolishing brick work manually / by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-Charge. In cement mortar	2.100	cum
3	Dismantling aluminium / Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material within 50 metres lead as directed by Engineer - in-Charge	15.752	sqm
4	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead: Of area 3 sq. metres and below	2.100	each
5	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS : 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing /paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): For fixed portion Powder coated aluminium (minimum thickness of	97.597	kg

	powder coating 50 micron) (minimum thickness of powder coating 50 micron)		
6	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer - in- Charge. Pre-laminated particle board with decorative lamination on both sides	16.352	sqm
7	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer - in -Charge. (Cost of aluminium snap beading shall be paid in basic item):With float glass panes of 4.0mm thickness	3.391	sqm
8	Providing and fixing ISI marked oxidised M S door latches conforming to IS : 5930 with screws etc.300x20x6 mm	4.000	no
9	Providing and fixing ISI marked oxidised M.S. handles conforming to IS : 4992 with necessary screws etc. complete:125 mm	4.000	no
10	Providing and fixing panelled or panelled and glazed shutters for shutters for doors, windows and clerestory windows, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer - in-charge. Second class teak wood35 mm thick shutters	8.000	sqm
11	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete:250x10 mm	8.000	no
12	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	4.000	no
13	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	1.000	no

14	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in: Cement mortar 1:6 (1 cement : 6 coarse sand)	2.300	cum
15	12 mm cement plaster finished with a floating coat of neat cement of mix: 1:4 (1 cement : 4 fine sand)	26.700	sqm
16	Providing Trafford Aluminium sheet roofing including vertical/ curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal / vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 1.00 mm thick with zinc coating not less than 275 gm/m2	55.000	sqm
17	Steel work in built up G I tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete	155.900	kg
18	Steel work for purlin/single section with G I pipes including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete	134.400	kg
19	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately) using good quality Pincoda wood	0.057	cum
20	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows, 35 mm thick shutters including ISI marked M.S. pressed butt hinges bright finished of required sized with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer in-charge using Pincoda wood	2.100	sqm

21	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:1/2:3 (cement : 11/2 coarse sand : 3 graded stone aggregate 20 mm nominal size)	2.160	cum
22	White washing with lime to give an even shade: New work (three or more coats)	26.700	sqm
23	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	768.000	sqm
24	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work	25.500	sqm
25	Miscellaneous - Providing cloth curtain, door handles, tinted glass film for windows, grab bar	1	nos
26	Providing and laying antiskid Ceramic glazed floor tiles of size 400x400 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 cement : 4 Coarse sand), including pointing the joints with white cement and matching pigments etc., complete.	3.600	sqm
27	SIX PANELLED STEEL RACK-Menage Slotted Angle Rack with 6-Shelf Shelving Unit Multipurpose Rack of size -(72 X 24 X 15 Inch)	5.000	nos
28	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. M.S. tube	72.000	kg

2) Bid Price

- a) The contract shall be for the full quantity as described above. Corrections if any shall be made by crossing out re-writing with initial and date.

- b) The rate should be all inclusive of taxes, levies, transports etc. Unloading shall be done by District Nirmithikendra.
 - c) Usual deduction of taxes will be made from the gross amount of bill.
 - d) The rate quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - e) The price should be quoted in Indian rupees only.
- 3) Each bidder shall submit only one quotation.
- 4) Validity of quotation
- Quotation shall remain valid for a period not less than 45 days after the dead line date specified for submission
- 5) Evaluation of quotation
- The purchaser will evaluate and compare the quotations determined to be substantially responsive ie which
- a) Are properly signed
 - b) Confirm to the terms and conditions and specification.
- 6) Award of Contract
- a) The purchaser will award the contract to the bidder whose quotations has been determined to be substantially responsive and who has offered the lowest evaluated quotation price
 - b) Notwithstanding above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of the contract
 - c) The bidder whose bid is accepted will be notified of the award of the contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
- 7) The amount will be released after verification of the material in physical ,quality and receipt of invoice in this office according to the availability of funds. Individual or authorized dealers/agents are only eligible.

You are requested to provide your offer latest by 12 hours on **19.04.2021** and the quotation will be opened at **19.04.2021**

We look forward to receiving your quotations and thank for your interest in this work.




Project Manager

Foramat of Quotation

Sl No	Description	Quantity	Unit	Rate	AMOUNT	
					Amount in figures	Amount in words
1	Clearing the site all around, cutting trees, cleaning the building, etc complete	1	nos			
2	Demolishing brick work manually / by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-Charge. In cement mortar	2.100	cum			
3	Dismantling aluminium / Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material with in 50 metres lead as directed by Engineer - in-Charge	15.752	sqm			

4	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:Of area 3 sq. metres and below	2.100	each			
5	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS : 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing /paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge.(Glazing, paneling and dash fasteners to be paid for separately):For fixed portionPowder coated aluminium(minimum thickness of powder coating 50 micron) (minimum thickness of powder coating 50 micron)	97.597	kg			
6	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer - in-Charge.Pre- laminated particle board with decorative lamination on both sides	16.352	sqm			

7	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer - in -Charge. (Cost of aluminium snap beading shall be paid in basic item):With float glass panes of 4.0mm thickness	3.391	sqm			
8	Providing and fixing ISI marked oxidised M S door latches conforming to IS : 5930 with screws etc.300x20x6 mm	4.000	no			
9	Providing and fixing ISI marked oxidised M.S. handles conforming to IS : 4992 with necessary screws etc. complete:125 mm	4.000	no			
10	Providing and fixing panelled or panelled and glazed shutters for shutters for doors, windows and clerestory windows, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer - in-charge. Second class teak wood35 mm thick shutters	8.000	sqm			
11	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete:250x10 mm	8.000	no			
12	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	4.000	no			
13	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	1.000	no			

14	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in: Cement mortar 1:6 (1 cement : 6 coarse sand)	2.300	cum			
15	12 mm cement plaster finished with a floating coat of neat cement of mix: 1:4 (1 cement : 4 fine sand)	26.700	sqm			
16	Providing Trafford Aluminium sheet roofing including vertical/ curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal / vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 1.00 mm thick with zinc coating not less than 275 gm/m2	55.000	sqm			
17	Steel work in built up G I tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete	155.900	kg			
18	Steel work for purlin/single section with G I pipes including cutting, hoisting, fixing in position and applying a priming coat of approved steel-primer, including welding and bolted with special shaped washers etc. complete	134.400	kg			
19	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately) using good quality Pincoda wood	0.057	cum			

20	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows, 35 mm thick shutters including ISI marked M.S. pressed butt hinges bright finished of required sized with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer in-charge using Pincoda wood	2.100	sqm			
21	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:1:1/2:3 (cement : 1 1/2 coarse sand : 3 graded stone aggregate 20 mm nominal size)	2.160	cum			
22	White washing with lime to give an even shade:New work (three or more coats)	26.700	sqm			
23	Finishing walls with Acrylic Smooth exterior paint of required shade:New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	768.000	sqm			
24	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade:Two or more coats on new work	25.500	sqm			
25	Miscellaneous - Providing cloth curtain, door handles, tinted glass film for windows, grab bar	1	nos			
26	Providing and laying antiskid Ceramic glazed floor tiles of size 400x400 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 cement : 4 Coarse sand), including pointing the joints with white cement and matching pigments etc., complete.	3.600	sqm			

27	SIX PANELLED STEEL RACK-Menage Slotted Angle Rack with 6-Shelf Shelving Unit Multipurpose Rack of size -(72 X 24 X 15 Inch)	5.000	nos		
28	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.M.S. tube	72.000	kg		
	Total				

Gross Total Cost: - Rs.....

(In words) We agree to supply the above goods in accordance with the technical Specification for a total price of Rs.....(amount in figure).....(amount in words) with in the period specified in the invitation for quotation.

Signature of Supplier